Annals of Pure and Applied Logic 40 (1988) 307–310
North-Holland

MASTER INDEX TO VOLUMES 31–40

Ash, C.J., Stability of recursive structures in arithmetical degrees 32 (1986) 113–135
Ash, C.J., Categoricity in hyperarithmetical degrees 34 (1987) 1–14

Baldwin, J.T., and Harrington, L., Trivial pursuit: Remarks on the main gap 34 (1987) 209–230
Barker, E., Intrinsically Σ^0_α relations 39 (1988) 105–130
Baumgartner, J.E. and Shelah, S., Remarks on superatomic Boolean algebras 33 (1987) 109–129
Bélair, L., Substructures and uniform elimination for p-adic fields 39 (1988) 1–17
Blass, A., Selective ultrafilters and homogeneity 38 (1988) 215–255
Blass, A. and Gurevich, Y., Henkin quantifiers and complete problems 32 (1986) 1–16
Blass, A. and Shelah, S., There may be simple $P_{\aleph_1}$- and $P_{\aleph_2}$-points and the Rudin–Keisler ordering may be downward directed 33 (1987) 213–243
Brandt, U., Index sets in the arithmetical hierarchy 37 (1988) 101–110
Brown, D.K. and Simpson, S.G., Which set existence axioms are needed to prove the separable Hahn–Banach theorem? 31 (1986) 123–144
Buchholz, W., A new system of proof-theoretic ordinal functions 32 (1986) 195–207
Buchholz, W., An independence result for $(\Pi^1_1\text{-CA}) + \text{BI}$ 33 (1987) 131–155

Canjar, M., Countable ultraproducts without CH 37 (1988) 1–79
Cartmell, J., Generalised algebraic theories and contextual categories 32 (1986) 209–243
Cenzer, D., Clote, P., Smith, R.L., Soare, R.I. and Wainer, S.S., Members of countable Π^0_1 classes 31 (1986) 145–163
Chong, C.T., 1-generic degrees and minimal degrees in higher recursion theory, II 31 (1986) 165–175
Clote, P., *see* Cenzer, D. 31 (1986) 145–163
Compton, K.J., Henson, C.W. and Shelah, S., Nonconvergence, undecidability and intractability in asymptotic problems 36 (1987) 207–224
Cooper, S.B. and Epstein, R.L., Complementing below recursively enumerable degrees 34 (1987) 15–32
Cox, P.T. and Pietrzykowski, T., Incorporating equality into logic programming via surface deduction 31 (1986) 177–189
Crossley, J.N., Manaster, A.B. and Moses, M.F., Recursive categoricity and recursive stability 31 (1986) 191–204

Dehornoy, P., Π^1_1-complete families of elementary sequences 38 (1988) 257–287
Dekker, J.C.E., Isols and Burnside's lemma 32 (1986) 245–263
Diaconescu, R. and Kirby, L.A.S., Models of arithmetic and categories with finiteness conditions 35 (1987) 123–148
Di Prisco, C.A. and Llopis, J., On some extensions of the projective hierarchy 36 (1987) 105–113
Downey, R.G., Sound, totally sound, and unsound recursive equivalence types 31 (1986) 1–21
Downey, R.G., Undecidability of $L(F_\infty)$ and other lattices of r.e. substructures 32 (1986) 17–26
Downey, R.G., Maximal theories 33 (1987) 245–282
Downey, R.G. and Kurtz, S.A., Recursion theory and ordered groups 32 (1986) 137–151
Downey, R.G. and Stob, M., Structural interactions of the recursively enumerable T- and W-degrees 31 (1986) 205–236

Eklof, P.C. and Mekler, A.H., Categoricity results for $L_{\omega\kappa}$-free algebras 37 (1988) 81–99
Epstein, R.L., *see* Cooper, S.B. 34 (1987) 15–32

Farkas, E.J. and Szabo, M.E., On the programs-as-formulas interpretation of parallel programs in Peano arithmetic 37 (1988) 111–127

0168-0072/88/$3.50 © 1988, Elsevier Science Publishers B.V. (North-Holland)

Farmer, W.M., A unification algorithm for second-order monadic terms 39 (1988) 131–174
Flagg, R.C., Integrating classical and intuitionistic type theory 32 (1986) 27–51
Flagg, R.C., κ-Continuous lattices and comprehension principles for Frege structures 36 (1987) 1–16
Flagg, R.C. and Friedman, H., Epistemic and intuitionistic formal systems 32 (1986) 53–60
Flagg, R.C. and Friedman, H., Maximality in modal logic 34 (1987) 99–118
Flagg, R.C. and Myhill, J., Implication and analysis in classical Frege structures 34 (1987) 33–85
Freyd, P., Choice and well-ordering 35 (1987) 149–166
Freyd, P., Friedman, H. and Scedrov, A., Lindenbaum algebras of intuitionistic theories and free categories 35 (1987) 167–172
Friedman, H. and Sheard, M., An axiomatic approach to self-referential truth 33 (1987) 1–21
Friedman, H. and Sheard, M., The disjunction and existence properties for axiomatic systems of truth 40 (1988) 1–10
Friedman, H., *see* Flagg, R.C. 32 (1986) 53–60
Friedman, H., *see* Flagg, R.C. 34 (1987) 99–118
Friedman, H., *see* Freyd, P. 35 (1987) 167–172
Friedman, S.D., Strong coding 35 (1987) 1–98
Friedman, S.D., A guide to "Strong coding" 35 (1987) 99–122

Germano, G. and Mazzanti, S., Primitive iteration and unary functions 40 (1988) 217–256
Girard, J.-Y., Normal functors, power series and λ-calculus 37 (1988) 129–177
Gitik, M., On the Mitchell and Rudin–Keisler orderings of ultrafilters 39 (1988) 175–197
Gordeev, L., Proof-theoretical analysis: weak systems of functions and classes 38 (1988) 1–121
Groszek, M.J., Applications of iterated perfect set forcing 39 (1988) 19–53
Gurevich, Y. and Shelah, S., Fixed-point extensions of first-order logic 32 (1986) 265–280
Gurevich, Y., *see* Blass, A. 32 (1986) 1–16

Hajnal, A. and Komjáth, P., Some higher-gap examples in combinatorial set theory 33 (1987) 283–296
Harnik, V., Set existence axioms for general (not necessarily countable) stability theory 34 (1987) 231–243
Harrington, L., *see* Baldwin, J.T. 34 (1987) 209–230
Henkin, L., Monk, J.D., and Tarski, A., Representable cylindric algebras 31 (1986) 23–60
Henson, C.W., *see* Compton, K.J. 36 (1987) 207–224
Hodes, H., Cardinality logics, Part I: Inclusions between languages based on 'exactly' 39 (1988) 199–238
Hyland, J.M.E., A small complete category 40 (1988) 135–165

Kalantari, I. and Weitkamp, G., Effective topological spaces III: Forcing and definability 36 (1987) 17–27
Kanamori, A. and McAloon, K., On Gödel incompletenes and finite combinatorics 33 (1987) 23–41
Kanda, A., Recursion theorems and effective domains 38 (1988) 289–300
Keisler, H.J., A completeness proof for adapted probability logic 31 (1986) 61–70
Keisler, H.J., Hyperfinite models of adapted probability logic 31 (1986) 71–86
Keisler, H.J., Measures and forking 34 (1987) 119–169
Kirby, L.A.S., *see* Diaconescu, R. 35 (1987) 123–148
Koepke, P., Some applications of short core models 37 (1988) 179–204
Komjáth, P., *see* Hajnal, A. 33 (1987) 283–296
Kreitz, C. and Weihrauch, K., Compactness in constructive analysis revisited 36 (1987) 29–38
Kreitz, C., *see* Weihrauch, K. 35 (1987) 247–260
Kucera, T.G., Totally transcendental theories of modules: decomposition of models and types 39 (1988) 239–272
Kurata, R., Paris–Harrington principles, reflection principles and transfinite induction up to ε_0 31 (1986) 237–256
Kurtz, S.A., *see* Downey, R.G. 32 (1986) 137–151

Lachlan, A.H., Structures coordinatized by indiscernible sets 34 (1987) 245–273
Llopis, J., *see* Di Prisco, C.A. 36 (1987) 105–113
Lo, L., On the computational complexity of the theory of Abelian groups 37 (1988) 205–248
Longo, G., On Church's formal theory of functions and functionals 40 (1988) 93–133
Lubarsky, R.S., Lattices of c-degrees 36 (1987) 115–118
Lubarsky, R.S., Another extension of Van de Wiele's theorem 38 (1988) 301–306
Lubarsky, R.S., Admissibility spectra and minimality 40 (1988) 257–275

Maier, B.J., On countable locally described structures 35 (1987) 205–246
Makkai, M., Strong conceptual completeness for first-order logic 40 (1988) 167–215
Manaster, A.B., *see* Crossley, J.N. 31 (1986) 191–204
Matet, P., Some coloring properties for uncountable cardinals 33 (1987) 297–307
Matsubara, Y., Menas' conjecture and generic ultra-powers 36 (1987) 225–234
Mazzanti, S., *see* Germano, G. 40 (1988) 217–256
McAloon, K., *see* Kanamori, A. 33 (1987) 23–41
McCarty, C., Realizability and recursive set theory 32 (1986) 153–183
Mekler, A.H., *see* Eklof, P.C. 37 (1988) 81–99
Monk, J.D., *see* Henkin, L. 31 (1986) 23–60
Moses, M.F., *see* Crossley, J.N. 31 (1986) 191–204
Mulry, P.S., Adjointness in recursion 32 (1986) 281–289
Myhill, J., *see* Flagg, R.C. 34 (1987) 33–85

Nelson, E., The syntax of nonstandard analysis 38 (1988) 123–134
Németi, I., On varieties of cylindric algebras with applications to logic 36 (1987) 235–277
Nerode, A. and Remmel, J.B., Generic objects in recursion theory II: Operations on recursive approximation spaces 31 (1986) 257–288

Paris, J.B., *see* Wilkie, A.J. 35 (1987) 261–302
Pietrzykowski, T., *see* Cox, P.T. 31 (1986) 177–189
Pillay, A., Forking, normalization and canonical bases 32 (1986) 61–81
Pillay, A. and Steinhorn, C., Discrete *o*-minimal structures 34 (1987) 275–289
Pohlers, W., Ordinal notations based on a hierarchy of inaccessible cardinals 33 (1987) 157–179
Point, F., Quantifier elimination in discriminator varieties 32 (1986) 83–101

Remmel, J.B., Graph colorings and recursively bounded Π^0_1-classes 32 (1986) 185–194
Remmel, J.B., Recursively rigid Boolean algebras 36 (1987) 39–52
Remmel, J.B., *see* Nerode, A. 31 (1986) 257–288
Remmel, J.B., *see* Silibovsky Brady, S. 35 (1987) 193–203
Ribenboim, P., *see* Van den Dries, L. 33 (1987) 83–107
Rubin, M. and Shelah, S., Combinatorial problems on trees: partitions, Δ-systems and large free subtrees 33 (1987) 43–81

Sacks, G.E., The limits of E-recursive enumerability 31 (1986) 87–120
Sambin, G. and Vaccaro, V., Topology and duality in modal logic 37 (1988) 249–296
Saracino, D. and Wood, C., Homogeneous finite rings in characteristic 2^n 40 (1988) 11–28
Scedrov, A., Embedding sheaf models for set theory into boolean-valued permutation models with an interior operator 32 (1986) 103–109
Scedrov, A., On the impossibility of explicit upper bounds on lengths of some provably finite algorithms in computable analysis 32 (1986) 291–297
Scedrov, A., *see* Freyd, P. 35 (1987) 167–172
Schlipf, J.S., Decidability and definability with circumscription 35 (1987) 173–191
Schmerl, U.R., Diophantine equations in fragments of arithmetic 38 (1988) 135–170
Scowcroft, P., A transfer theorem in constructive real algebra 40 (1988) 29–87
Sheard, M., *see* Friedman, H. 33 (1987) 1–21
Sheard, M., *see* Friedman, H. 40 (1988) 1–10

Shelah, S., Existence of many $L_{\infty,\lambda}$-equivalent, non-isomorphic models of T of power λ 34 (1987) 291–310
Shelah, S., On the number of strongly $\aleph_\varepsilon$-saturated models of power λ 36 (1987) 279–287
Shelah, S., Uncountable groups have many nonconjugate subgroups 36 (1987) 153–206
Shelah, S., A graph which embeds all small graphs on any large set of vertices 38 (1988) 171–183
Shelah, S., Number of strongly $\aleph_\varepsilon$-saturated models – an addition 40 (1988) 89–91
Shelah, S. and Stanley, L., A theorem and some consistency results in partition calculus 36 (1987) 119–152
Shelah, S. and Stepräns, J., Extraspecial p-groups 34 (1987) 87–97
Shelah, S., *see* Baumgartner, J.E. 33 (1987) 109–129
Shelah, S., *see* Blass, A. 33 (1987) 213–243
Shelah, S., *see* Compton, K.J. 36 (1987) 207–224
Shelah, S., *see* Gurevich, Y. 32 (1986) 265–280
Shelah, S., *see* Rubin, M. 33 (1987) 43–81
Shore, R.A., A non-inversion theorem for the jump operator 40 (1988) 277–303
Silibovsky Brady, S. and Remmel, J.B., The undecidability of the lattice of r.e. closed subsets of an effective topological space 35 (1987) 193–203
Simpson, S.G. and Smith, R.L., Factorization of polynomials and Σ_1^0 induction 31 (1986) 289–306
Simpson, S.G., *see* Brown, D.K. 31 (1986) 123–144
Smith, R.L., *see* Cenzer, D. 31 (1986) 145–163
Smith, R.L., *see* Simpson, S.G. 31 (1986) 289–306
Soare, R.I., *see* Cenzer, D. 31 (1986) 145–163
Srour, M., The notion of independence in categories of algebraic structures, Part I: Basic properties 38 (1988) 185–213
Srour, G., The notion of independence in categories of algebraic structures, Part II: S-minimal extensions 39 (1988) 55–73
Stanley, L., *see* Shelah, S. 36 (1987) 119–152
Steinhorn, C., *see* Pillay, A. 34 (1987) 275–289
Stepräns, J., *see* Shelah, S. 34 (1987) 87–97
Stob, M., *see* Downey, R.G. 31 (1986) 205–236
Sureson, C., The model $N = \bigcup\{L[A]: A$ countable set of ordinals$\}$ 36 (1987) 289–313
Szabo, M.E., A cut elimination theorem for stationary lgoic 33 (1987) 181–193
Szabo, M.E., *see* Farkas, E.J. 37 (1988) 111–127

Takeuti, G., Bounded arithmetic and truth definition 39 (1988) 75–104
Takeuti, G. and Titani, S., Global intuitionistic analysis 31 (1986) 307–339
Takeuti, G. and Titani, S., Globalization of intuitionistic set theory 33 (1987) 195–211
Tarski, A., *see* Henkin, L. 31 (1986) 23–60
Titani, S., *see* Takeuti, G. 31 (1986) 307–339
Titani, S., *see* Takeuti, G. 33 (1987) 195–211
Tuschik, H.-P., The expressive power of Malitz quantifiers for linear orderings 36 (1987) 53–103

Vaccaro, V., *see* Sambin, G. 37 (1988) 249–296
Van den Dries, L. and Ribenboim, P., An application of Tarski's principle to absolute Galois groups of function fields 33 (1987) 83–107
Velleman, D., Simplified gap-2 morasses 34 (1987) 171–208

Wainer, S.S., *see* Cenzer, D. 31 (1986) 145–163
Weihrauch, K. and Kreitz, C., Representations of the real numbers and of the open subsets of the set of real numbers 35 (1987) 247–260
Weihrauch, K., *see* Kreitz, C. 36 (1987) 29–38
Weitkamp, G., *see* Kalantari, I. 36 (1987) 17–27
Welch, P.D., Some descriptive set theory and core models 39 (1988) 273–290
Wilkie, A.J. and Paris, J.B., On the scheme of induction for bounded arithmetic formulas 35 (1987) 261–302
Wood, C., *see* Saracino, D. 40 (1988) 11–28